



License No. 800025015
FL License # CMTL-0003
CLIA No. 10D1094068

Certificate of Analysis

Compliance Test

BLISS BEVERAGES
101 CRANDON BLVD
MIAMI, FL 33149

Batch # WC-21182
Batch Date: 2021-07-01
Extracted From: Final Product

Test Reg State: Florida

Production Date: 2021-07-01

Order # BLI210712-020008
Order Date: 2021-07-12
Sample # AABP840

Sampling Date: 2021-07-16
Lab Batch Date: 2021-07-16
Completion Date: 2021-07-22

Volume: 473.176 ml

Number of Units: 1
Net Weight per Unit: 472068.000 mg



Product Image

Potency
Tested



Potency - 11

Specimen Weight: 460000.000 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (µg/ml)
CBC	8.000	0.000018	0.001	45.400
THCV	8.000	0.000007	0.001	
THCA-A	8.000	0.000032	0.001	
CBD	8.000	0.000054	0.001	
Delta-9 THC	8.000	0.000013	0.001	
Delta-8 THC	8.000	0.000026	0.001	
CBN	8.000	0.000014	0.001	
CBGA	8.000	0.00008	0.001	
CBG	8.000	0.000248	0.001	
CBDV	8.000	0.000065	0.001	
CBDA	8.000	0.00001	0.001	

Tested
(HPLC/LCMS)



Potency Summary

Total THC ND	Total CBD 21.482mg
Total CBG ND	Total CBN ND
Other Cannabinoids ND	Total Cannabinoids 21.482mg

Xueli Gao
Ph.D., DABT
Lab Toxicologist

Aixa Sun
D.H.Sc., M.Sc., B.Sc., MT (AAB)
Lab Director/Principal Scientist



Definitions and Abbreviations used in this report: *Total CBD = CBD + (CBD-A * 0.877), *Total THC = THCA-A * 0.877 + Delta 9 THC, *CBG Total = (CBGA * 0.877) + CBG, *CBN Total = (CBNA * 0.877) + CBN, *Other Cannabinoids Total = CBC + CBDV + THCV + THCV-A, *Total Detected Cannabinoids = CBD Total + CBG Total + CBN Total + THC Total + CBC + CBDV + THCV + THCV-A, *Analyte Details above show the Dry Weight Concentrations unless specified as 12% moisture concentration. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram, *Measurement of Uncertainty = +/- 5%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.

